Portsmouth Water Ltd

Public Record - Water Quality Summary



01/01/2023 to 31/12/2023

Lovedean Supply Zone

Parameter (Units)	Ann. Sar Freque		Comment	PCV		nples ening PCV		entration of	
	Required	Taken			No.	%	Min	Mean	Max
Colony Count 72h at 22C(No/ml)	24	26		N/A	0	0.00	0	0.4	8
Colony Count 48h at 37C(No/ml)	0	26		N/A	0	0.00	0	0.5	8
Coliform Bacteria (Indicator)(No/100ml)	60	62		0	0	0.00	0	0	0
E-Coli (Faecal Coliforms - Confirmed)(No/100ml)	60	62		0	0	0.00	0	0	0
Clostridium Perfringens (Confirmed)(No/100ml)	8	8		0	0	0.00	0	0	0
Enterococci (Confirmed)(No/100ml)	8	8		0	0	0.00	0	0	0
Residual Disinfectant - Total(mg/l)	60	63		N/A	0	0.00	0.29	0.53	0.67
Residual Disinfectant - Free(mg/l)	60	63		N/A	0	0.00	0.25	0.48	0.64
Nitrate(mg/l NO3)	8	8		50	0	0.00	39.5	42.9	45.2
Ammonium (Total)(mg/l NH4)	24	24		0.5	0	0.00	<0.073	<0.073	<0.073
Bromate(ug/I BrO3)	8	8		10	0	0.00	<0.8	<0.8	<0.8
Chloride(mg/l Cl)	8	8		250	0	0.00	20.3	21.1	21.6
Colour(mg/l Pt/Co)	24	24		20	0	0.00	<1.23	<1.44	<2
Cyanide-Total(ug/l CN)	8	8		50	0	0.00	<4.1	<4.1	<4.1
Conductivity(uS/cm @20C)	24	24		2500	0	0.00	546	569.2	588
Fluoride (Total)(mg/l F)	8	8		1.5	0	0.00	0.08	0.096	0.107
Hydrogen Ion (pH) - Indicator(pH Value)	24	24		6.5 - 9.5	0	0.00	7.27	7.41	7.81
Nitrite (Consumers Taps)(mg/l NO2)	8	8		0.5	0	0.00	<0.011	<0.011	<0.011
Nitrate/Nitrite Formula(mg/l)	8	8		1	0	0.00	0.79	0.857	0.904
Sulphate(mg/l SO4)	8	8		250	0	0.00	15.4	19.3	23.8
Odour (Quantitative)(Dil Num)	24	24		0	0	0.00	0	0	0
Taste (Quantitative)(Dil Num)	24	24		0	0	0.00	0	0	0
Turbidity(NTU)	24	24		4	1	4.17	0.038	0.373	7.07
Total Organic Carbon(mg/I C)	8	8		N/A	0	0.00	0.3	0.5	0.8
Aluminium (Total)(ug/I AI)	24	24		200	0	0.00	<8.1	13.9	146.5
Antimony(ug/l Sb)	8	8		5	0	0.00	<0.2	<0.2	<0.2
Arsenic (Total)(ug/l As)	8	8		10	0	0.00	<1	<1	<1
Boron (Total)(mg/l B)	8	8		1	0	0.00	<0.14	<0.14	<0.14
Cadmium (Total)(ug/l Cd)	8	9		5	0	0.00	<0.22	<0.22	<0.22

Portsmouth Water Ltd

Public Record - Water Quality Summary



01/01/2023 to 31/12/2023

Lovedean Supply Zone

Parameter (Units)	Ann. Sar Freque		Comment	PCV		nples ening PCV		entration of	
	Required	Taken			No.	%	Min	Mean	Max
Chromium (Total)(ug/l Cr)	8	9		50	0	0.00	<2.3	<2.3	<2.3
Copper (Total)(mg/l Cu)	8	10		2	0	0.00	<0.172	0.191	0.358
Iron (Total)(ug/l Fe)	24	24		200	1	4.17	<13.8	59.7	1115.5
Lead (10 ug/l)(ug/l Pb)	8	9		10	0	0.00	<0.5	0.9	4.2
Manganese (Total)(ug/l Mn)	24	24		50	0	0.00	<2.5	2.8	10.6
Mercury(ug/l Hg)	8	8		1	0	0.00	<0.04	<0.04	<0.04
Nickel(ug/l Ni)	8	10		20	0	0.00	<1.3	<1.3	<1.3
Selenium(ug/I Se)	8	8		10	0	0.00	<0.8	<0.8	<0.8
Sodium (Total)(mg/l Na)	8	8		200	0	0.00	<9.1	9.3	9.8
Benzo[a]Pyrene(ug/l)	8	8		0.01	0	0.00	<0.003	<0.003	<0.003
Polycyclic Aromatic Hydrocarbons (4)(ug/l)	8	8		0.1	0	0.00	0	0	0
1,2 Dichloroethane(ug/l)	8	11		3	0	0.00	<0.12	<0.12	<0.12
Tetrachloromethane(ug/l)	8	11		3	0	0.00	<0.11	<0.11	<0.11
Tetra+Trich(ug/l)	8	10		10	0	0.00	0	0	0
Trihalomethanes(ug/l)	8	8		100	0	0.00	9.63	12.05	14.53
2,4 - D(ug/l)	8	8		0.1	0	0.00	<0.007	<0.007	<0.007
Atrazine(ug/I)	8	8		0.1	0	0.00	0.006	0.007	0.009
Bentazone(ug/I)	8	8		0.1	0	0.00	<0.007	<0.007	<0.007
Benzene(ug/I)	8	11		1	0	0.00	<0.02	<0.02	<0.02
Dieldrin(ug/I)	8	8		0.03	0	0.00	<0.007	<0.007	<0.007
Diuron(ug/l)	8	8		0.1	0	0.00	<0.004	<0.004	<0.004
Fluroxypyr(ug/l)	8	8		0.1	0	0.00	<0.008	<0.008	<0.008
Glyphosate(ug/l)	8	8		0.1	0	0.00	<0.005	<0.005	<0.005
Metazachlor(ug/l)	8	8		0.1	0	0.00	<0.003	0.006	0.009
Pendimethalin(ug/l)	8	8		0.1	0	0.00	<0.007	<0.007	<0.007
MCPA(ug/l)	8	8		0.1	0	0.00	<0.008	<0.008	<0.008
Mecoprop (MCPP)(ug/I)	8	8		0.1	0	0.00	<0.005	0.005	0.005
Metaldehyde(ug/l)	8	8		0.1	0	0.00	<0.008	<0.008	<0.008
Propazyamide(ug/l)	8	8		0.1	0	0.00	<0.005	<0.005	<0.005

Portsmouth Water Ltd

Public Record - Water Quality Summary




01/01/2023 to 31/12/2023

Lovedean Supply Zone

Parameter (Units	5)	Ann. Sar Freque		Comment	PCV	Sam _l Contraver			entration o	
		Required	Taken			No.	%	Min	Mean	Max
Simazine(ug/l)		8	8		0.1	0	0.00	0.004	0.005	0.005
Triclopyr(ug/l)		8	8		0.1	0	0.00	<0.015	<0.015	<0.015
Total Pesticides(u	ıg/l)	8	8		0.5	0	0.00	0.011	0.018	0.02
61	Total No.Tests	s 92	0	Failures	= 2=	0.217 %	Pa	iss Rate	e = 99.	.78 %

Lovedean Zone Population 2023 = 24,695



© Crown copyright 2024. All rights reserved. Ordnance Survey Licence Number 100018036.



Registered Office P.O. BOX NO. 8, West Street, Havant, Hampshire. PO9 1LG. Registered in England No. 2536455 Telephone: (023) 9249 9888

Fax: (023) 9245 3632

Website: www.portsmouthwater.co.uk

Water Supply Zones - ZLO1

The information supplied is given in good faith as a guide to locating underground appararus. Its accuracy cannot be guaranteed, nor does it include comprehensive information about the existence or location of service pipes or cables to individual premises. The responsibility for locating and avoiding damage to apparatus on site shall be that of the person proposing to excavate in the street who shall be liable to the apparatus owner and any third party who may be affected in any way for the loss or damage caused by their failure to do so.

Drg No:

Job No:

OS Ref: SU6804SW

Scale: 1:65,999

Date: 27/02/2024

PORTSMOUTH WATER LTD

General Information	ZONE – LOVEDEAN	2023
		, ·

Comments on Water Quality:

Iron and Turbidity

A random tap sample taken from a property in Idsworth within the Lovedean Water Quality Zone (ZLO1) exceeded the regulatory level for Iron (200 μ g/l) with a result 1115.5 μ g/l and for turbidity (4NTU) with a result 7.070 NTU. Resamples taken from the original sample location and from neighbouring locations gave satisfactory results for Iron and Turbidity. Findings of the investigation undertaken have identified that the root cause of the iron and turbidity exceedance is highly likely to be attributable to a nearby mains burst and subsequent changes in zonal flow. All other Iron and Turbidity samples collected from the zone in 2023 have been satisfactory.

In all other respects this water meets the chemical and microbiological requirements of the Water Supply (Water Quality) Regulations 2016 (as amended).

Action taken to comply with Section 19 undertakings

Phosphate is dosed in the water to reduce pick-up of lead from lead pipework.



Determinands Analysed

METALS SUBSTANCE TESTED	WHAT IT MEANS	REGULATORY STANDARD
Antimony		5.0 μg /l
Cadmium		5.0 μg/l
Chromium	These metals can occur naturally in source water at low levels. Some may also come from plumbing systems and	50 μg /l
Nickel	industrial processes. The standards provide wide safety	20 μg/l
Mercury	margins on known levels of toxicity.	1.0 µg /l
Selenium		10 μg /l
Aluminium	Aluminium occurs naturally and is also used during treatment to remove impurities. Concerns have been expressed about a link between aluminium and Alzheimer's disease, but there is no proven connection, although research on this is ongoing.	200 μg/l
Arsenic	This occurs naturally in water at low levels.	10 μg /l
Boron	Low levels of boron can be found in some waters due to its use in detergents.	1.0 mg/l
Copper	Traces of copper can sometimes be found in water, usually as a result of old, corroding plumbing or new plastic pipes. This can cause a metallic taste.	2.0 mg/l
Lead	Lead is rarely present in water sources but many properties built before the mid-1960's have a lead supply pipe or some lead plumbing. Portsmouth Water adds phosphate to most of the water supplied to reduce the amount of lead dissolved from pipes.	10 μg /l
Iron	Iron can naturally occur in some water sources and is removed during treatment. Iron in the water supplies may also be derived from old iron mains or domestic pipe work. This is not a health hazard, but can cause the water to become discoloured.	200 μg/l
Manganese	This can naturally occur in some water sources and is removed during treatment. Disruption to water mains can stir up sediment, containing manganese.	50 μg/l
Sodium	Sodium is a naturally occurring substance that can increase as an effect of softening the water. If you use a water softener you should retain an un-softened supply for drinking.	200 mg/l



NON-METALS		
SUBSTANCE TESTED	WHAT IT MEANS	REGULATORY STANDARD
Ammonium	Ammonia occurs naturally in many water sources. It is not harmful and is normally removed by treatment.	0.5 mg/l
Bromate	Bromate can potentially form when hypochlorite or ozone are used in water treatment. We control the treatment process tightly to minimize this.	10 μg/l
Chloride	Chloride occurs naturally in water but may give a salty taste to the water and contribute to corrosion.	250 mg/l
Cyanide	Cyanide is rarely found in water. When it is detected it is normally in areas of heavy industry.	50 μg/l
Fluoride	Fluoride occurs naturally at low levels in some of Portsmouth Water's supplies. None of our supplies are artificially fluoridated.	1.5 mg/l
Nitrate	Nitrate arises from the use of fertilizer on agricultural land.	50 mg/l
Nitrite	Nitrite occurs at much lower levels than nitrate and conversion from one form to another occurs readily. The regulations also require that the Nitrate:Nitrite ratio [nitrate]/50 + [nitrite]/3 is \leq 1.0.	0.5 mg/l at Customers tap 0.1 mg/l at Water Treatment Works
Sulphate	Sulphate occurs naturally in water and comes from mineral deposits.	250 mg/l

BACTERIA		
SUBSTANCE TESTED	WHAT IT MEANS	REGULATORY STANDARD
Faecal Coliforms (E.coli)	These bacteria are specific inhabitants of the digestive systems of warm blooded animals. They are an indication of possible contamination (with other harmful bacteria possibly being present). Any detection in treated waters is investigated as a matter of urgency.	0 per 100ml
Total Coliforms	These are bacteria that provide a general and very sensitive measure of microbiological quality. They are removed by water treatment processes, but where they are detected it is often because they can grow within taps in the home. Any detection in treated waters is investigated as a matter of urgency.	0 per 100ml
Enterococci	As with coliforms, the presence of these organisms can indicate possible contamination in the water supply so they are investigated as a matter of urgency.	0 per 100ml
Colony Count at 37°C	Small numbers of bacteria can be present in treated water. The information obtained from these tests is used to maintain the efficiency of the water treatment processes and the	Number per 1ml
Colony Count at 22°C	cleanliness of water mains. Any unusually high levels are investigated.	No abnormal change from a long term average.
Clostridium Perfringens	As with coliforms, the presence of these organisms can indicate contamination in the water supply so they are investigated as a matter of urgency.	0 per 100ml



ORGANIC CHEMICALS: PESTICIDES					
SUBSTANCE TESTED	WHAT IT MEANS	REGULATORY STANDARD			
Aldrin		0.03 µg/l			
Dieldrin	Pesticides consist of chemicals used by farmers, local authorities and gardeners. The traces of these found in	0.03 μg/l			
Heptachlor	untreated water are typically far less than the maximum advised to protect public health. The pesticides tested for will vary from area to area, depending on the usage of pesticides in the surrounding area	0.03 μg/l			
Heptachlor epoxide		0.03 μg/l			
Other individual Pesticides	of each water source.	0.1 μg/l			
Total Pesticides	This is the total amount of each individual pesticide detected in the water sample tested.	0.5 μg/l			

ORGANIC CHEMICALS: OTHERS					
SUBSTANCE TESTED	WHAT IT MEANS	REGULATORY STANDARD			
Benzene	Benzene is rarely found naturally in water but is removed in treatment processes. It arises from petroleum products and industries.	1.0 μg/l			
Trichloromethane A		100 //			
Dichlorobromomethane A	These compounds are known as Trihalomethanes (THM's).	100 ug/l (▲For the total amount			
Dibromochloromethane A	They are formed when chlorine comes into contact with organic compounds in the raw untreated water.	of these four			
Tribromomethane		compounds)			
Tetrachloromethane		3.0 µg/l			
1,2 Dichloroethane	These substances are known as solvents. They arise from	3.0 µg/l			
Trichloroethene × and Tetrachloroethene ×	industrial processes and are removed from the water during the treatment stage.	10 μg/l (*For the total amount of these two compounds)			
Benzo-a-pyrene		0.01 μg/l			
Benzo-b-fluoranthene *	These compounds are known as Polycyclic aromatic				
Benzo-k-fluoranthene *	hydrocarbons (PAH's). They are rare substances and are seldom found in water. Where they do occur, the cause is	0.1 µg/l			
Benzo-ghi-perylene *	usually the coal tar pitch lining from iron mains.	(*For the total amount of these four compounds)			
Indeno-123-cd-pyrene *					



OTHER PARAMETERS					
SUBSTANCE TESTED	WHAT IT MEANS	REGULATORY STANDARD			
Colour	Chemical changes in the water source or pressure changes in the distribution main can give the water a tinge of colour.	20 mg/l Pt/Co			
Conductivity	This is a measure of the level of natural mineral salts contained in the water. This is measured by passing an electrical current through the water.	2500 μS per cm at 20°C			
pH (Hydrogen Ion)	This is a measure of the acidity or alkalinity of the water. A pH of 7 is neutral.	Between 6.5 and 9.5 pH units			
Taste Dilution Number	This is to check if the water has any unpleasant taste or smell. It is measured using trained panellists to taste and smell the	Acceptable to consumers			
Odour Dilution Number	water in strictly controlled conditions.	and no abnormal change			
Temperature	Temperature is checked to monitor changes in the water system.	No legal limit			
Total Chlorine	Sufficient chlorine is added to all our supplies to ensure the absence of harmful bacteria. Portsmouth Water also aims to	No legal limit			
Free Chlorine	keep the levels at customer's taps low to minimize associated taste and odour issues.	Ç			
Total Organic Carbon	TOC is a measure of the organic material present in the water. It varies naturally depending on the source of the water and is monitored for any unusual changes (which could be caused by oil spills or other pollutants).	No abnormal change			
Turbidity	This is a measure of suspended material in the water.	4.0 NTU at Customers tap 1.0 NTU at Water Treatment Works			